



# Insight WebClient Users Guide

Updated 7/27/04

Copyright © 2001-2004 Bynari Inc.,  
All rights reserved.  
No part of this publication may be reproduced  
or transmitted in any form or by any means, electronic  
or mechanical, including photocopy, recording, or  
any information storage and retrieval system, without  
permission in writing from the publisher

Revision date: 7/27/04



## Trademarks

Bynari Insight Products are trademarks of Bynari Inc.

Microsoft Windows, Outlook 2000, Outlook XP and Windows logos are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.



## Technical Support

The Bynari Insight products can be purchased with one of the following technical support options included:

- Without Support – 90 day of free product maintenance and upgrades.
- With Support – 1 year product maintenance, upgrades and unlimited email and telephone support.














Available to customers from anywhere.

To contact technical support

Phone 1-214-350-5772 or email: [support@bynari.net](mailto:support@bynari.net)

For FAQs: <http://www.bynari.net/faq/>

# Table of Contents

Insight WebClient .....	5
<b>Overview</b> .....	<b>5</b>
<b>Requirements</b> .....	<b>5</b>
<b>Getting Started</b> .....	<b>5</b>
<b>Using WebClient</b> .....	<b>7</b>
<b>Features and functions</b> .....	<b>10</b>
 <b>Folder Administration</b> .....	<b>10</b>
 Folder Tree .....	10
• Creating Folders .....	10
• Folder Sharing .....	11
 <b>Inbox</b> .....	<b>13</b>
• Composing .....	13
 <b>Contacts</b> .....	<b>16</b>
• New Contact .....	16
 <b>Calendar</b> .....	<b>18</b>
• Appointment .....	18
 <b>Deleted Items</b> .....	<b>20</b>
 <b>Drafts</b> .....	<b>21</b>
 <b>Journal</b> .....	<b>22</b>
 <b>Notes</b> .....	<b>22</b>
• General .....	22
• Selected Note .....	22
• Creating a new note .....	22
 <b>Outbox</b> .....	<b>23</b>
 <b>Sent Items</b> .....	<b>24</b>
 <b>Tasks</b> .....	<b>26</b>
• General .....	26
• New Task .....	26
 <b>Preferences</b> .....	<b>27</b>
• General .....	27
<b>Conclusion</b> .....	<b>31</b>
General Tips .....	31



# Insight WebClient

In today's mobile world, instant access to information is vital to any business success. Team members must have the ability to access critical data anytime, from anywhere to be competitive with other organizations. Whether it be an employee working from home or a sales representative constantly on the run, gaining access to information that traditionally is only available from your office chair, has become essential.

The WebClient is a vital piece to the business process for mobile users. Access to email, contacts, and calendar information is only a click away through the use of a web browser and an Internet connection.

## Overview

The "WebClient" is a browser independent based application that reads information from the email server. The WebClient displays this information to the user in the form of an html page. The interface of the WebClient is quite similar to common desktop applications, such as Microsoft Outlook® which will reduce learning curves. The experience will be quite similar, whether the user is at the office using a desktop application or away from their desk accessing the same data through a web browser.

## Requirements

Certain requirements must be met to ensure the application functions the same in all environments as with all browser-based applications. There are many combinations of operating systems and browsers that can cause the application to behave differently. As advances are introduced in browser technology, developers are granted access to tools that allow them to create browser-based applications to mirror their desktop counterparts. Unfortunately, these advances in browser technology are not always backwards compatible with previous versions, nor are they supported in all browser types. A neutral ground has to be found where functionality and browser support can meet.

Every client environment can be unique, so standards must be set to ensure the application functions as intended.

Knowing this, your browser choice must support frames, JavaScript, style sheets, and cookies. The WebClient may not function as intended if your browser does not support these technologies. The WebClient is tested and supported on Internet Explorer®, Netscape®, and Mozilla®.

For the server side component of the WebClient, the requirements are the same as they are for the Insight Server.

## Getting Started

Users may gain access to the WebClient simply by entering the URL to the email server of choice. This information will be provided by the network / email administrator.



## Insight WebClient Users Guide

The URL for the WebClient is typically <http://youremailserver/groupware/>.  
Secure page URL is generally <https://youremailserver/groupware/>.

Security is of the utmost importance when data is stored in a location that is accessible to the outside world. The WebClient takes security quite seriously and has integrated measures to ensure that data is accessible to authenticated personnel only. All screens within the WebClient application have an embedded security check. If a user is trying to access a page within the WebClient and has not been authenticated, the login page will be displayed (Figure 1). The user supplies a username and password and this information is authenticated against user data stored on the Insight server. If a match is found, a user session is created and the user is granted access to the corresponding account.




Figure 1 WebClient Login Screen

Precautions have been taken to prevent malicious users from hacking the web server and gaining access to the critical data that is stored.

## Using WebClient

Upon successful login, the following screen will be presented. The tree of all the folders is on the left side of the display, the inbox messages displayed on the top half and the preview pane on the bottom half of the screen.




Figure 2 WebClient startup default Screen

A brief description of all the icons used:



**Folder Selected** – Indicating folder Selection




**Add New Folder** – The Add New Folder icon allows a user to create a new email, contacts, notes or calendar folder in their desired location. Select Add New Folder. Give the folder a name and select the type of folder to be created.



**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.



**Compose** – Select the Compose icon to create a new email message.



**Page** – The Page feature allows the user to quickly scroll to the next page of emails. The amount of emails displayed per page is determined in Options feature of the Inbox.



**Search** – The message search feature searches thru the selected mail folder.



**Delete** – To delete a single email, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner of the Inbox. Note: The Inbox page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is



refreshed.



**Move Message** – Move a message to a different folder. Select message and click on icon, message will be moved to the selected folder.



**Register as Spam** – Register selected messages as spam. Messages will appear in the spam folder.



**Priority** – Importance status of message, Click to change display order of messages importance.



**Message status** – Message status arrangement, messages arranged according to read (📄) unread (✉)

**Subject**

**Attachment** – Attachment with email message.

**From**

**Subject** – Subject of email message received.

**Received**

**From** – From whom the message was sent.

**Reply**

**Received** – Time message received.

**Reply All**

**Reply** – Select the email. Select the purple arrow next to a specific email under “Actions” or in the lower email frame.

**Forward**

**Reply All** - Select the email. Select the red arrow next to a specific email under “Actions” or in the lower email frame.

**Accept**

**Forward** - Select the email. Select the blue arrow next to a specific email under “Actions” or in the lower email frame.

**Decline**

**Accept** – When a meeting request comes in, in place of the “Reply” button, there will be an “Accept” button to accept the requested meeting/appointment.



**Decline** – When a meeting request comes in, in place of the “Reply All” button, there will be a “Decline” button to decline the requested meeting/appointment.



**Request Read Receipt** – When composing an email you can send a read receipt request.



**Spelling** – When composing an email you can spell check the email before sending it out.

**Headers**

**Print** – Select an email. Select the “Print” icon on the frame that displays the email.



**View Headers** – To track the path that the email has taken before getting to the user, select on the View Headers icon in the frame that displays above the email.

**Preferences**


**Save** – When composing an email, selecting this option will save your message, and store it into the “Drafts” folder. The message can be retrieved at any time from the “Drafts” folder.

**Preferences** – By selecting the Options icon, the user will be able to set-up their email options. Such as, the email Name, Email Address, Signature, whether or not the user wants to store their deleted and sent emails, ability to show HTML emails and basic Inbox display features. It is



## Insight WebClient Users Guide

necessary to select the "Save" icon after making any changes in Options.



**Logout** – Logout will log the user off the system.

## Features and functions

The WebClient includes many of the basic features of a desktop application. The major features include email, contacts, calendar, and notes. The WebClient version of these features will function similar to the desktop application, the only difference being that you access the application with a web browser. As new versions of the WebClient are released, more and more items will be added to the feature set.

### Folder Administration

#### Folder Tree

The tree is the function that will allow the user to navigate from feature to feature within the WebClient. Refer to Figure 3 for a sample illustration of how the WebClient tree appears. The user navigates by simply clicking on the folder name for the feature that they would like to view. The corresponding data for the folder selected will be shown in the content frame of the screen, once a folder, or tree item is selected. User navigation function is very similar to how a user would navigate through Microsoft Outlook. Since the tree is customizable, the tree that appears on every WebClient may be unique. Several various options and folders will be displayed, depending on the permissions for the current user. For instance, the current user for Figure 3 has been granted access to a shared folder, listed here as “Shared Folders”. When a user is granted access to shared folders, the user can navigate through them as if the shared folders were the user’s own folders.




Figure 3. WebClient Tree

#### Creating Folders

Using Insight WebClient, folders can be created, deleted, moved, renamed, and shared. See figure 3.2 for the folder options that appear at the top of each folder (except for the standard “Outlook folders”, such as Inbox, Calendar, Contacts, Notes, Tasks, etc.)



Figure 3.2 Folder options

To create a new folder, select the “New” icon; then the “Create New Folder” window will appear (figure 3.3).




Figure 3.3 Create New Folder

In the “Name” field, enter the new folder name. “Folder Contains” specifies the folder type. There are 5 different folder types that can be created:

1. **Email Items:** This is a regular email folder, and contains only emails.
2. **Contacts Items:** This folder type contains contacts only.
3. **Note Items:** This folder type contains yellow “sticky-notes”
4. **Appointment Items:** This folder type contains calendar events such as appointments and meeting requests.
5. **Task Items:** This folder type contains personal task/“to-do” items.

“Place Under:” determines where the new folder should be placed. The default value is “Top-Level”. A “Top-Level” folder is placed at the same level as Inbox. To create a subfolder of an existing folder, select a folder from the “Place Under” dropdown list. To finish creating the folder, click “OK”.

To delete a folder, select the folder from the folder tree, then select the “Delete” icon. To move a folder, select the folder from the folder tree, then select the “Move” icon. The folder can then be moved to the top-level or under another folder. Folders can also be renamed by selecting the “Rename” icon.



## Folder Sharing

Insight WebClient allows users to share personal or public folders with other users that reside on the same mail server. Folders can include calendars, inbox, tasks, contacts, etc. To share any folder, select the folder from the folder tree, then select the “Permissions” icon. The “Folder Permissions” page will now be displayed (figure 3.4).




Figure 3.4 Folder Permissions

To share a folder, use the pull down list for the address list or use the search feature to find a specific user. Select the appropriate user from the results-list and select “Add User”. The user will then be added to the “Select a user” field. The default permissions for newly added users are “Lookup” and “Read”. To change the permissions for any user, select the user from the “Select a user” list, then add checkmarks for the appropriate permissions; when finished, select “Update”.

## Inbox

The Inbox feature is used to view and manage incoming emails. Functions such as reply, reply all, forward, delete, and move can be used on email messages found in the Inbox. Refer to Figure 4 below for an illustration of how the Inbox might appear. The Inbox of the WebClient supports the basic functionality of an email program.




Figure 4. Email Inbox

## Composing

The user also has the ability to compose new email messages by clicking the "Compose" icon.

To start a new message, enter the fields required, and send to recipients selected from a list of contacts.





Figure 5. Email Inbox

Clicking the  **To:** icon, the recipient list is composed from the contacts list (Figure 6). To add a recipient to the To, CC, or BCC box, the user would simply select the name from the contact list and then click on the button for where the recipient should be placed, e.g. To:, Cc:, or Bcc: The email value for the recipient is automatically attached to the name, so there is no need to memorize email addresses. Please refer to Figure 6 for a reference to what the new message screen might look like.




Figure 6 New Email Message

The top of the new email message allows a user to send, mark the email as important or save the email in a draft folder located in the Tree (Refer to Figure 3 for an example of the Tree) and check spelling.

A user can designate who the email is going to be sent to by selecting names in their Contacts list and selecting the “**To >>**” button. Or the user can simply type the email address in the “To:” field. The same action applies for “Cc:” and “Bcc:”. To remove an email recipient that was selected from the contacts list select the names in “TO>>” field and select the “**<<**” button.

To search for a contact, select the group, organization, or the top-level directory from the address-list (“Show Contacts From:” pull-down list), and enter the first and/or last name of the person you wish to find in the “Search” field. Then press enter or “GO” to display the results.

Read receipts can be requested upon sending an email. When the recipient receives the email, a prompt will be displayed to send a “read receipt” that acknowledges the email was read. This feature can be turned on for all emails from the Preferences page, or by checking the “Request Read Receipt” upon composing an email.


Insight WebClient includes a spell checker to check spelling of an email before sending it. Click the “Spelling” button in order to start the spell checking scanner.

To save an email, press “Save”. This will place the unfinished message in the “Drafts” folder. It can be retrieved from “Drafts” at any time. To cancel a composing message, select another folder from the folder list, or select the “Cancel” button.

Users may attach files or other attachments to an email by selecting “Browse” at the bottom of the email. Browse for the desired attachment, select the attachment, and then select the “Attach Now” icon.

## Contacts

The contacts feature is used to store contact data. In this section, the user has the ability to search, add, update, and delete contacts. Users may create multiple folders under the main Contacts folder to help manage the contact list and is especially helpful for long contact list management. Basic contact data is displayed on the contact list page, as shown in Figure 7. Extended contact data can be viewed or updated by clicking on the contact name.





		File As	Cell Work	Email	123
<input type="checkbox"/>		Dustin D Butler		dustin@intrcomm.net	a
<input type="checkbox"/>		John Public	214-350-5772	john@bynari.net	b
<input type="checkbox"/>		Mr.	Weld County School District		c
<input type="checkbox"/>		Mr. James J Joyce	555-1212	james@joyce.com	d
<input type="checkbox"/>		Mr. Shawn M. Roberts	111-222-4444	sroberts@school.com	e
<input type="checkbox"/>		Mr. Te S ting			f
<input type="checkbox"/>		New One		newonesomewhere.net	g
<input type="checkbox"/>		Richard Nelson	214-350-5772 x37	rnelon@bynari.net	h
<input type="checkbox"/>		Shawn Walker			i
<input type="checkbox"/>		Testing Bynari		testing@demo.bynari.net	j
<input type="checkbox"/>		same		same@nowhere.com	k
<input type="checkbox"/>		test		test@anywhere	l

Figure 7 Contacts List

### New Contact

The new contact form allows the entry of data for each new contact. Select the save icon to **save** your data to the server.

Figure 8 Contacts List

Functions of Contacts include the following brief description of all the icons used:



**New Folder** – Select the New Folder icon. Enter the appropriate information for the folder and select Save.



**Remove Folder** – The user must select the desired folder to be removed from the Tree. When the Remove Folder icon is selected, a warning dialog box will appear. The word “OK” must be selected in order to complete the Remove Folder Action.




**Move Folder** – The Move Folder allows a user to move a folder to a different location in the Tree.




**Rename Folder** – A user can rename a folder by selecting on the “Rename Folder”.



**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.



**New Contact** – Select the New Contact icon. Enter the appropriate information for the contact and select Save.



**Search** – Search allows a user to quickly find their desired contact by entering the name in the search field. The user can also search for contacts by selecting a letter or number to the right of the contacts list.



**Delete** – To delete a single contact, select the trashcan to the far right under “Actions”. To delete multiple contacts at once, select the check box next to the contacts that are to be deleted. Then select the trashcan in the top left corner. Note:


The contacts page is continually being refreshed. If the user selects multiple contacts and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.



**Move Message** – Move a contact to a different folder. Select contact and click on icon, contact will be moved to the selected folder.

## 1 Calendar

- 1 The calendar feature is used to manage appointments and schedule information. Appointments can be found using the Day, Week, or Month views. A screen shot of the Day view is shown in Figure below. To add a new appointment click



To view details or update appointments, the user needs to click on the appointment name, see figure 9, you will then be brought to the edit appointment screen where changes can be made to the appointment see figure 10.




Figure 9 Calendar

## 1 Appointment

To select the appointment, move the mouse pointer over the entry until the mouse cursor changes and click.




Figure 10 Calendar Select

## Appointment Form

Figure 11 Calendar Select

Change any field on the form and select **Save**. This will update the calendar event and reflect the changes.

A brief description of all the icons used:



**New Folder** – Select the New Folder icon. Enter the appropriate information for the folder and select Save.



**Remove Folder** – The user must select the desired folder to be removed from the Tree. When the Remove Folder icon is selected, a warning dialog box will appear. The word “OK” must be selected in order to complete the Remove Folder Action.



**Move Folder** – The Move Folder allows a user to move a folder to a different location in the Tree.




**Rename Folder** – A user can rename a folder by selecting on the “Rename Folder”.




**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.




**New Appointment** – Create a new appointment




**Meeting request** – Create a new meeting Request




**Availability** – To determine Free/ busy Times of other users on the system to schedule meetings



**Day View** – To view appointments in a daily format




**Week View** – To view appointments in a weekly format



**Month View** – To view appointments in a monthly format



**Year View** – To view appointments in a yearly format



**Day Indicator** – Indicates the day being displayed in the preview pane










## Deleted Items

- Deleted Items folder is the location where all deleted items will be sent for retrieval. The deleted items can be removed permanently by clicking on Empty deleted Items icon.



Figure 11 Calendar Select

A brief description of all the icons used:

	<b>New Folder</b> – Select the New Folder icon. Enter the appropriate information for the folder and select Save.
	<b>Permissions</b> – Permissions allows account users to give other users access to specific folders in their Inbox.
	<b>Compose</b> – Select the Compose icon to create a new email message.
	<b>Delete</b> – To delete a single email, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner of the Inbox. Note: The Inbox page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.
	<b>Move Message</b> – Move a message to a different folder. Select message and click on icon, message will be moved to the selected folder.
	<b>Register as Spam</b> – Register selected messages as spam. Messages will appear in the spam folder.
	<b>Priority</b> – Importance status of message, Click to change display order of messages importance.
	<b>Message status</b> – Message status arrangement, messages arranged according to read, unread, new.
	<b>Attachment</b> – Attachment with email message.
<b>Subject</b>	<b>Subject</b> – Subject of email message received.

<b>From</b>	<b>From</b> – From whom the message was sent.
<b>Received</b>	<b>Received</b> – Time message received.

### Drafts

- ☑ The drafts folder is used to save emails that have not been sent. These emails can then be edited at a later date to be sent. To create a new message click on Compose.



Figure 12 Drafts


A brief description of all the icons used:



**New Folder** – Select the New Folder icon. Enter the appropriate information for the folder and select Save.



**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.



**Compose** – Select the Compose icon to create a new email message.



**Delete** – To delete a single email, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner of the Inbox. Note: The Inbox page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.



**Move Message** – Move a message to a different folder. Select message and click on icon, message will be moved to the selected folder.



**Register as Spam** – Register selected messages as spam. Messages will appear in the spam folder..



**Priority** – Importance status of message, Click to change display order of messages importance.



**Message status** – Message status arrangement, messages arranged according to read, unread, new.



**Attachment** – Attachment with email message.



**Subject** – Subject of email message received.

**From**

**From** – From whom the message was sent.

**Received**

**Received** – Time message received.

## Journal

Journal was not implemented at time of document creation.

## Notes

### General

The notes folder is used to store all the notes created. Notes are useful for information pieces or refer to as “Sticky notes” for easy reminders. To create a new note click on New



Figure 13 Notes

### Selected Note

Clicking on the note will display the note. Click on to edit the contents of the note, change the contents of the note, select save. To delete the note, click on to close the note click on .




Figure 13 Selected Notes

### Creating a new note

Click on the new icon, enter the required information on the new note, click save. To cancel the note, click Cancel.




Figure 14 New Note

A brief description of all the icons used:



**New Folder** – Select the New Folder icon. Enter the appropriate information for the folder and select Save.



**Remove Folder** – The user must select the desired folder to be removed from the Tree. When the Remove Folder icon is selected, a warning dialog box will appear. The word “OK” must be selected in order to complete the Remove Folder Action.



**Move Folder** – The Move Folder allows a user to move a folder to a different location in the Tree.



**Rename Folder** – A user can rename a folder by selecting on the “Rename Folder”.



**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.

New	<b>New</b> – New Note, to create a new note
Save	<b>Save</b> – Save Notes, once a new note has been created click on save to save note to folder.
Cancel	<b>Cancel</b> – Cancel note.
Edit	<b>Edit</b> – Edit the contents of the note.
Delete	<b>Delete</b> – Delete the note.
Close	<b>Close</b> – Close note, to minimize the view.

## Outbox

- Email is stored in the Outbox folder when being sent. Email messages will not appear in the outbox folder if sent successfully; however, email messages will appear in the outbox folder if there is a failure while trying to send the message.



Figure 15 Outbox

A brief description of all the icons used:



**Add New Folder** – The Add New Folder icon allows a user to create a new email, contacts, notes or calendar folder in their



desired location. Select Add New Folder. Give the folder a name and select the type of folder to be created.

**Remove Folder** – The user must select the desired folder to be removed from the Tree. When the Remove Folder icon is selected, a warning dialog box will appear. The word “OK” must be selected in order to complete the Remove Folder Action.




**Move Folder** – The Move Folder allows a user to move a folder to a different location in the Tree.




**Rename Folder** – A user can rename a folder by selecting on the “Rename Folder”.



**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.



**Compose** – Select the Compose icon to create a new email message.



**Page** – The Page feature allows the user to quickly scroll to the next page of emails. The amount of emails displayed per page is determined in Options feature of the Inbox.



**Delete** – To delete a single email, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner. Note: The page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.



**Move Message** – Move a message to a different folder. Select message and click on icon, message will be moved to the selected folder.



**Register as Spam** – Register selected messages as spam. Messages will appear in the spam folder..



**Priority** – Importance status of message, Click to change display order of messages importance.



**Message status** – Message status arrangement, messages arranged according to read, unread, new.



**Attachment** – Attachment with email message.



**Subject** – Subject of email message received.



**From** – From whom the message was sent.



**Received** – Time message received.

## Sent Items

 Sent Items folder is used to store sent email items.




Figure 16 Sent Items


A brief description of all the icons used:




**New Folder** – Select the New Folder icon. Enter the appropriate information for the folder and select Save.




**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.



**Compose** – Select the Compose icon to create a new email message.



**Empty Sent Items** – This will delete all the messages in the sent items folder unconditionally, checked or unchecked.



**Page** – The Page feature allows the user to quickly scroll to the next page of emails. The amount of emails displayed per page is determined in Options feature of the Inbox.



**Delete** – To delete a single email, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner of the Inbox. Note: The Inbox page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.



**Move Message** – Move a message to a different folder. Select message and click on icon, message will be moved to the selected folder.



**Register as Spam** – Register selected messages as spam. Messages will appear in the spam folder..



**Priority** – Importance status of message, Click to change display order of messages importance.



**Message status** – Message status arrangement, messages arranged according to read, unread, new.



**Attachment** – Attachment with email message.



**Subject** – Subject of email message received.



**To** – To whom the message was sent.

**Received**

**Received** – Time message was received.

**Tasks**

**General**

Tasks are created to project manage and delegate different tasks.




Figure 17 Tasks

**New Task**

To create a new task click on New, enter all the required information as can be seen below, click on Save to save the information, or Cancel to discard task being created.




Figure 18 New Task


A brief description of all the icons used:



**Add New Folder** – The Add New Folder icon allows a user to create a new email, contacts, notes or calendar folder in their desired location. Select Add New Folder. Give the folder a name and select the type of folder to be created.



**Remove Folder** – The user must select the desired folder to be removed from the Tree. When the Remove Folder icon is selected, a warning dialog box will appear. The word “OK” must be selected



in order to complete the Remove Folder Action.

**Move Folder** – The Move Folder allows a user to move a folder to a different location in the Tree.

**Rename Folder** – A user can rename a folder by selecting on the “Rename Folder”.

**Permissions** – Permissions allows account users to give other users access to specific folders in their Inbox.

**New** – Select the Compose icon to create a new email message.

**Delete** – To delete a single email the user, select the trashcan to the far right of the email under “Actions”. To delete multiple emails at once, select the check box next to the emails that are to be deleted. Then select the trashcan in the top left corner of the Inbox. Note: The Inbox page is continually being refreshed. If the user selects multiple emails and the page refreshes before the user clicks on the trashcan, they will lose their selected delete items. Go to Options to increase or decrease the time in which the Inbox page is refreshed.

**Subject** – Subject of Task

**Start Date** – Start date of task

**Due Date** – Due Date of task completion.

## Preferences

### General

By selecting the Preference icon, the user will be able to setup their email options. Such as, the email Name, Email Address, Signature, whether or not the user wants to store their deleted and sent emails, ability to show HTML emails and basic Inbox display features. **It is necessary to select the “Save” icon after making any changes in Options.**

Save
Cancel

Tree Pane Width

Refresh (seconds)

Do not keep deleted items (just delete them)

Name

Email Address

Optional Address 1

Optional Address 2

Signature 

Sincerely,  
  
User3  
http://demo.bynari.net

Store a copy of sent items

Show HTML email if available

Show contacts when composing new email

Show Contacts From (default)

Request a Read Receipt on All Outgoing Mail

Automatically Reply to Read Receipts

Messages p/ Page

Disable View Pane

Viewing Pane Height %

Week Start Day

Day View Start Time

Day View End Time

Time Zone

Reminders  Pop-Ups  Email

Default Calendar View

Figure 19 Preference (Ver 2.0-9)

Preference Option	Default Value	Description
Tree Pane Width	<input type="text" value="200"/>	The width of the default display of the Tree on the right side of the screen.
Refresh Tree (seconds)	<input type="text" value="300"/>	The time interval the WebClient will update the page with new email.
Do not keep deleted items (just delete them)	<input type="checkbox"/>	With this option unchecked, it will copy all deleted items to the deleted folder. If



## Insight WebClient Users Guide

Name	<input type="text" value="user 800"/>
Email Address	<input type="text" value="user800@m"/>
Optional Address 1	<input type="text"/>
Optional Address 2	<input type="text"/>
Signature	<input type="text"/>
Store a copy of sent items	<input checked="" type="checkbox"/>
Show HTML email if available	<input type="checkbox"/>
Show contacts when composing new email	<input type="checkbox"/>
Show Contacts From (default)	<input type="text"/>
Request a Read Receipt on All Outgoing Mail	<input type="checkbox"/>
Automatically Reply to Read Receipts	<input type="checkbox"/>
Messages p/ Page	<input type="text" value="10"/>
Disable View Pane	<input type="checkbox"/>
Viewing Pane Height %	<input type="text" value="50"/>
Daily View Time Start	<input type="text" value="07"/> <input type="text" value="AM"/>
Day View End Time	<input type="text" value="11"/> <input type="text" value="PM"/>
Time Zone	<input type="text" value="[Server]"/>
Reminders	<input checked="" type="checkbox"/> Pop-Ups <input type="checkbox"/> Email

checked, it will discard the deleted items.

User Name of logon user; this can be changed to display a different name. The "Name" will be displayed on the email when sending emails.

Email address of logon user

Additional email address to use for sending email.

Additional email address to use for sending email.

Signature that will be added to email created.

All sent items will be saved in the sent items folder.

Checking this option will display the html email with the graphics and not in text mode.

Show contact list to choose email address.

Select the default contacts folder to use for email lookup.

A read receipt will be sent with all outgoing mail, automatically.

Automatically send back a read receipt reply to the requesting sender.

Number of messages to display per page.

Disable the view pane, will remove the preview pane below the inbox view.

Percentage the preview pane should use of the Web browser to display messages.

Calendar start time Display.

Calendar end time Display.

Time zone selection, default is to use Bynari server time.

Calendar reminders can be sent via email, or a pop-up can be generated.



## Insight WebClient Users Guide

Default Calendar View

A default calendar view can be selected. The options are: Day View, Week, Month, Year, Availability



## Conclusion

### General Tips

- Custom links in the WebClient:

Cut and paste the text below and put in /opt/is4/opt/icc3/groupware/conf/custom\_links file on the Insight Server. The links can be edited for your preferences.

```
1025|-1|Favorites||4|5
1036|1025|Google|http://www.google.com|10|10
1027|1025|Bynari|http://www.bynari.net|10|10
5000|-1|Tools||4|5
5008|5000|Dict.org|http://www.dict.org|10|10
```

- WebClient as your default Mail Composer

These are the steps to make the WebClient the default mail composer whenever "mailto:" links on web pages are clicked. (The 2 files described below can be obtained from Bynari support):

1. Put the ICC-mailto.bat in c:
2. Edit the ICC-mailto.bat file, make sure the correct URL line is specified. Should be mail.domain.net.
3. Run the ICC-mailto.reg file to import registry settings.
4. In Internet Explorer click Tools -> Internet Options -> Programs (tab).
5. Select Bynari Insight WebClient for the email program.
6. Click on some mailto: links on web pages.